




ITEM #BA167 DISINFECTANT SPRAY



Spray Disinfectant

For use only on hard, non-porous environmental surfaces.

Prevents mold and mildew on environmental surfaces in your home and in public places. Disinfects and deodorizes surfaces through effective bacterial and fungicidal activity. Kills *Staphylococcus aureus* (Staph), *Streptococcus hemolyticus* (Strep), *Pseudomonas aeruginosa*, Methicillin-Resistant *Staphylococcus aureus* (MRSA), *Mycobacterium bovis* (BCG), *Salmonella enterica*, *Trichophyton interdigitale* (athlete's foot fungus), Vancomycin-Resistant *Enterococcus faecalis* (VRE), Influenza A Virus, Influenza B Virus, Swine Influenza A Virus Strain (H1N1) and Influenza A Virus Strain Hong Kong on pre-cleaned, hard, non-porous environmental surfaces.

Meets AOAC Efficacy Standards for hospital aerosol disinfectants.

Sprayed on Surfaces: Deodorizes by disinfecting. Germicidal activity kills most odor-producing organisms. Controls unpleasant odors. Pleasantly scented. For use in hospital rooms, sick rooms, doctors' examining rooms, kitchens, nurseries and bathrooms.

****Sanitizes:** Kills 99.9% of *Staphylococcus aureus* (Staph), and *Enterobacter aerogenes* on pre-cleaned, hard non-porous, non-food contact surfaces with a 5 minute contact time.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Shake Well Before Using

To Clean: Prior to disinfection, thoroughly pre-clean all surfaces to be treated by removing all gross filth and heavy soil.

To Disinfect: Hold can upright and spray from a distance of 6 to 8 inches until area for treatment is thoroughly moistened. Allow surfaces to remain wet for 10 minutes before wiping. After disinfection, a potable water rinse is required. Do not use to disinfect appliances, refrigerator interiors and microwave oven interiors. Do not use on dishes, glasses or utensils.

To Sanitize: Spray surface until entire area is thoroughly wet. Allow to remain wet for 5 minutes before wiping.

For Control of Mold and Mildew on Hard, Non-Porous Environmental Surfaces: Spray surfaces until thoroughly moistened. Allow to air dry. Repeat application in 7 days.

For Control of *Trichophyton interdigitale* (Athlete's Foot Fungus) in areas such as bathrooms, locker rooms, floors, benches, shower stalls or other non-porous environmental surfaces commonly contacted by bare feet: Spray surface until thoroughly moistened. Allow surfaces to remain wet for 10 minutes. Allow to air dry.

For Use on: Walls, floors, bedframes, bedpans, urinals, fixtures, containers, toilet seats, diaper pails, telephones, trash cans, and sickrooms. Due to the possibility of electric shock when used on telephones, avoid excess spraying of telephone.

Precautions

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or

decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store upright in a cool, dry place away from heat or open flame. **Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **Container Disposal:** Do not puncture or incinerate! **If empty:** Place in trash or offer for recycling if available. This container may be recycled in the few but growing number of communities where (steel) aerosol can recycling is available. Before offering for recycling, empty the can by using the product according to the label. Do not Puncture! If recycling is not available, discard container in trash. **If partly filled:** Call your local solid waste agency for disposal instructions.

First Aid

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment. For emergency medical information call 1.800.222.1222.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

WARNING: Causes substantial, but temporary, eye injury. Do not get in eyes or on clothing. Wear protective eyewear. Thoroughly wash hands after using and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

Physical or Chemical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not use on polished wood, painted surfaces, leather, rayon fabrics, acrylic plastics or furniture.

HIV-1 Directions:

Kills HIV on pre-cleaned environmental surfaces and objects previously soiled with blood or body fluids in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces or objects with blood or body fluids, and in which the surfaces and objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus type 1 (HIV-1) (associated with AIDS). **Special instructions for cleaning and decontamination against HIV on surfaces and objects soiled with blood or body fluids:** **Personal Protection:** Specific barrier protection items to be used when handling items soiled with blood or body fluids are disposable latex gloves, gowns, masks and eye coverings. **Cleaning Procedure:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of disinfectant. **Disposal of Infectious Materials:** Blood and other body fluids must be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal. **Contact Time:** Leave surfaces wet for 10 minutes. This contact time will not control other common types of viruses and bacteria.

BRODY DISINFECTANT SPRAY

- ANTIBACTERIAL • ELIMINATES ODORS
- DESTROYS ODORS • TUBERCULOCIDAL
- PSEUDOMONACIDAL • GERMICIDAL - FUNGICIDAL
- PREVENTS MOLD & MILDEW • FRESH SCENT
- FOR COMMERCIAL & INDUSTRIAL USE
- INSTITUTIONAL

Kills 99.9% Of Germs** • Kills HIV-1 On Pre-Cleaned Environmental Surfaces • Kills Methicillin-Resistant *Staphylococcus aureus* (MRSA) • Kills Vancomycin-Resistant *Enterococcus faecalis* (VRE) • Kills Influenza A Virus • Kills Influenza B Virus • Kills Swine Influenza A Virus Strain (H1N1) • Kills Influenza A Virus Strain Hong Kong

Active Ingredients:

n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18)	
dimethyl benzyl ammonium chloride.....	0.05%
n-Alkyl (68% C12, 32% C14) dimethyl	
ethylbenzyl ammonium chloride.....	0.05%
Ethyl Alcohol.....	37.00%
Other Ingredients*	62.90%
Total	100.00%

*Contains Sodium Nitrite

***Staphylococcus aureus* (Staph) and *Enterobacter aerogenes*

EPA Reg. No. 67603-4-64885

EPA Est. No. 10900-OH-1



Sold by:
Brody Chemical, Inc.
6125 WEST DOUBLE EAGLE CIRCLE
SALT LAKE CITY, UT 84118
800-488-2436

PLEASE RECYCLE
WHEN EMPTY



Keep Out of Reach of Children
WARNING
See back panel for additional
Precautionary Statements and First Aid.
Net Weight 15 oz./425g